



## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE
United States-Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/490,553	01/25/2000	Jeffrey A. Morgan	10992213-1	7289		
22879	7590 01/29/2004		EXAMI	EXAMINER		
HEWLETT PACKARD COMPANY			LIN, KE	LIN, KENNY S		
	2400, 3404 E. HARMONY 'UAL PROPERTY ADMI		ART UNIT PAPER NUMBER			
FORT COLLINS, CO 80527-2400			2154			
			DATE MAILED: 01/29/2004	1/		

Please find below and/or attached an Office communication concerning this application or proceeding.

<b>.</b>			pra
,	Application	Applicant(s)	
Advisory Action	09/490,553	MORGAN ET AL.	
navicery nearen	Examiner	Art Unit	
	Kenny Lin	2154	
The MAILING DATE of this communication appe	ears on the cover sheet with the c	orrespondence add	ress
THE REPLY FILED 08 January 2004 FAILS TO PLACE Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may only be either: (1 condition for allowance; (2) a timely filed Notice of Appea Examination (RCE) in compliance with 37 CFR 1.114.	void abandonment of this applica ) a timely filed amendment which	ition. A proper reply n places the applica	/ to a tion in
PERIOD FOR RE	EPLY [check either a) or b)]		
a) The period for reply expiresmonths from the mailing			
b) The period for reply expires on: (1) the mailing date of this A no event, however, will the statutory period for reply expire ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f).	later than SIX MONTHS from the mailing	g date of the final rejection	on.
Extensions of time may be obtained under 37 CFR 1.136(a). The fee have been filed is the date for purposes of determining the period of fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of (2) as set forth in (b) above, if checked. Any reply received by the Offictimely filed, may reduce any earned patent term adjustment. See 37 C	of extension and the corresponding amo the shortened statutory period for reply ce later than three months after the mail	unt of the fee. The appr originally set in the final	opriate extension Office action; or
1. A Notice of Appeal was filed on Appellant's 37 CFR 1.192(a), or any extension thereof (37 CFR			
2. The proposed amendment(s) will not be entered be	ecause:		
(a) X they raise new issues that would require further	er consideration and/or search (s	see NOTE below);	
(b) they raise the issue of new matter (see Note b	pelow);		
(c)  they are not deemed to place the application is issues for appeal; and/or	n better form for appeal by mate	rially reducing or sir	nplifying the
(d) they present additional claims without cancel	ing a corresponding number of fi	nally rejected claim	s.
NOTE: See Continuation Sheet.			
3. Applicant's reply has overcome the following reject			
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	be allowable if submitted in a se	eparate, timely filed	amendment
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request for application in condition for allowance because:		dered but does NO	T place the
6. The affidavit or exhibit will NOT be considered becaraised by the Examiner in the final rejection.	ause it is not directed SOLELY t	o issues which were	e newly
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims we			and an
The status of the claim(s) is (or will be) as follows:			
Claim(s) allowed: none.			
Claim(s) objected to: <u>none</u> .			
Claim(s) rejected: <u>1-35</u> .			
Claim(s) withdrawn from consideration: none.			
8. The drawing correction filed on is a) app	roved or b) disapproved by t	he Examiner.	

10. Other: \_\_\_\_

9. Note the attached Information Disclosure Statement(s)( PTO-1449) Paper No(s). \_\_\_\_\_.



Continuation of 2. NOTE: The endment language "physically separate from said handheld device/mobile systm" raise new issue and requires further search and consideration..

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100